


ORIGIN := 0



Grupa A1

$$P := 0 \text{ kN} \quad q := 3 \frac{\text{kN}}{\text{m}}$$

$$\underline{L} := 4 \text{ m} \quad b := 10 \text{ cm} \quad h := 15 \text{ cm} \quad \underline{J} := b \cdot \frac{h^3}{36} \quad E := 12 \text{ GPa}$$

$$T1 := \frac{q \cdot 2 \text{ m}}{2} \quad R0 := T1 \quad R4 := T1 + q \cdot 1 \text{ m}$$

$$M0 := T1 \cdot 1 \text{ m} \quad M0 = 3 \cdot \text{kN} \cdot \text{m} \quad R0 = 3 \cdot \text{kN}$$

$$n := 4 \quad \Delta := \frac{L}{n} = 1 \text{ m} \quad \alpha := \frac{\Delta^2}{E \cdot J} \quad \alpha = 8.889 \times 10^{-3} \cdot \frac{1}{\text{kN}}$$

$$M1(x) := R0 \cdot x - M0$$

$$M2(x) := M1(x) - q \cdot \frac{(x - 1\text{m})^2}{2}$$


$$i := 0 .. n$$

$$X_i := i \cdot \Delta$$

$$i := 0 .. 1 \qquad M_i := M1(X_i)$$

$$i := 1 .. n \qquad M_i := M2(X_i)$$

| | | | | | | | |
|-----|--|------|----------|-----|--|---|---|
| M = | | 0 | · kN · m | X = | | 0 | m |
| | | 0 | | | | 0 | |
| | | 1 | | | | 1 | |
| | | 2 | | | | 2 | |
| | | 3 | | | | 3 | |
| | | 4 | | | | 4 | |
| | | -3 | | | | 0 | |
| | | 0 | | | | 1 | |
| | | 1.5 | | | | 2 | |
| | | 0 | | | | 3 | |
| | | -4.5 | | | | 4 | |



$$\underline{\underline{A}} := \begin{pmatrix} 0 & 2 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 2 & 0 \end{pmatrix}$$

$$y := \text{lsolve}(\underline{\underline{A}}, \alpha \cdot M)$$

$$y = \begin{pmatrix} 0 \\ -13.333 \\ -23.333 \\ -20 \\ 0 \end{pmatrix} \cdot \text{mm}$$

